

Freeform Search

Database:	<div style="border: 1px solid black; padding: 2px;"> US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins </div>
Term:	<div style="border: 1px solid black; padding: 2px;"> TEGO with (silicone or siloxane or silane) and (ink jet or inkjet or ink-jet).ti. </div>
Display:	<div style="border: 1px solid black; padding: 2px;"> 20 Documents in Display Format: Starting with Number 1 </div>
Generate: <input type="radio"/> Hit List <input checked="" type="radio"/> Hit Count <input type="radio"/> Side by Side <input type="radio"/> Image	

Search
Clear
Interrupt

Search History

DATE: Saturday, December 24, 2005 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u> side by side	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>			
<u>L19</u>	TEGO with (silicone or siloxane or silane) and (ink jet or inkjet or ink-jet).ti.	5	<u>L19</u>
<u>L18</u>	TEGO with (silicone or siloxane or silane)	235	<u>L18</u>
<u>L17</u>	L16 and (ink jet or inkjet or ink-jet).ti.	396	<u>L17</u>
<u>L16</u>	(surfactant or surface active) with (silicone or siloxane or silane)	28394	<u>L16</u>
<u>L15</u>	unidyne\$ with (silicone or siloxane or silane)	69	<u>L15</u>
<u>L14</u>	ftergent\$ with (silicone or siloxane or silane)	19	<u>L14</u>
<u>L13</u>	fluorad\$ with (silicone or siloxane or silane)	160	<u>L13</u>
<u>L12</u>	zonyl\$ with (silicone or siloxane or silane)	154	<u>L12</u>
<u>L11</u>	merpol\$ with (silicone or siloxane or silane)	8	<u>L11</u>
<u>L10</u>	tergitol\$ with (silicone or siloxane or silane)	96	<u>L10</u>
<u>L9</u>	L6 with (silicone or siloxane or silane)	93	<u>L9</u>
<u>L8</u>	L6 same (silicone or siloxane or silane)	250	<u>L8</u>
<u>L7</u>	L6 and (silicone or siloxane or silane)	1349	<u>L7</u>
<u>L6</u>	surfynol	3380	<u>L6</u>

L5 L4 and (ink jet or inkjet or ink-jet).ti.
L4 L3 and triton
L3 silwet
L2 11 and silwet
L1 amphoteric.clm. and shewareged

21 L5
448 L4
2182 L3
0 L2
1 L1

END OF SEARCH HISTORY



Enter a Chemical Name, CAS Number, Molecular Formula or Weight.

Use * for partial names (e.g. ben*).

Search here for free. For professional searching, use [ChemINDEX](#).**Scintillation surfactant [9036-19-5]**

Synonyms: alpha-[(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxy-1,2-ethanediyl); Glycols, polyethylene, mono((1,1,3,3-tetramethylbutyl)phenyl)ether; Polyethylene Glycol p-tert-Octylphenyl Ether; Scintillation surfactant; Triton; Triton X 114;

No Structure Available	Tools	OpenChem
	<input type="button" value="BUY AT CHEMACX.COM"/>	<input type="button" value="VIEW LINKS"/>
	<input type="button" value="VIEW CHEMDRAW STRUCT"/>	<input type="button" value="ADD COMPOUND"/>
	<input type="button" value="VIEW CHEM3D MODEL"/>	<input type="button" value="ADD/CHANGE PROPERTY"/>
		<input type="button" value="ADD LINK"/>
	CAS RN Lookup	
	<input type="button" value="THE MERCK INDEX"/>	
	<input type="button" value="NCI DATABASE"/>	

9036-19-5

X1009995-1

RI0720000

Used for solubilization of proteins in preparation for gel electrophoresis. For use as a surfactant in liquid scintillation counting.

More information about the chemical is available in these categories:

Health (3)

[8\(e\) TRIAGE Chemical Studies Database](#)[ATSDR Internet HazDat Site Contaminant Query](#)[Information about this particular compound](#)[UMCP Partial list of mutagens](#)

Pesticides/Herbicides (1)

[USEPA / OPP's Chemical Ingredients Database](#)[Information about this particular compound](#)

Trading (1)

[Available Chemicals Exchange](#)[Information about this particular compound](#)

Enter a Chemical Name, CAS Number, Molecular Formula or Weight.

Use * for partial names (e.g. ben*).

Search here for free. For professional searching, use [ChemINDEX](#).

Search[CambridgeSoft.Com](#)[SciStore.Com](#)[ChemFinder.Com](#)[ChemBioNews.Com](#)[ChemClub.Com](#)

©2004 CambridgeSoft Corporation. All Rights Reserved. [Privacy Statement](#)

Email info@chemfinder.com / support@chemfinder.com

Tel 1 800 315-7300 / 1 617 588-9300 Fax 1 617 588-9390

EU Tel 00 800 875 20000 / +44 1223 464900 EU Fax +44 1223 464990

Germany Tel +49 69 2222 2280 France Tel +33 1 70 71 98 80

CambridgeSoft Corporation, 100 CambridgePark Drive, Cambridge, MA 02140 USA

CambridgeSoft Corporation, 8 Signet Court, Swanns Road, Cambridge CB5 8LA UK

All trademarks are the property of their respective holders.



Enter a Chemical Name, CAS Number, Molecular Formula or Weight.

Use * for partial names (e.g. ben*).

Search here for free. For professional searching, use [ChemINDEX](#).**Triton(R) X-100 [9002-93-1]**

Synonyms: p-(1,1,3,3-Tetramethylbutyl)phenol ethoxylate; alpha-[4-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxy-1,2-ethanediyl); Alkylaryl polyether alcohol; Ethylene glycol octyl phenyl ether; Octoxinol; Octoxynol-10; Octoxynol-3; Octoxynol-30; Octyl phenol ethoxylate; Octylphenoxypolyethoxyethanol; POE (10) octylphenol; POE(10) Octyl Phenyl Ether; POE(30) Octyl Phenyl Ether; POE(3) Octyl Phenyl Ether; Polyethylene glycol mono [4-(1,1,3,3-tetramethylbutyl)phenyl] ether; Polyoxyethylated octyl phenol; polyoxyethylene (10) octylphenol; Poly(oxyethylene)-p-tert-octylphenyl ether; Polyoxyethylene octyl phenyl ether; POE octylphenol; Triton(R) X-100; Triton X 100; Triton X-100 Surfactant; Triton X 102;

	Tools	OpenChem
	<input type="button" value="BUY AT CHEMACX.COM"/>	<input type="button" value="VIEW LINKS"/>
	<input type="button" value="VIEW CHEMDRAW STRUCT"/>	<input type="button" value="ADD COMPOUND"/>
	<input type="button" value="VIEW CHEM3D MODEL"/>	<input type="button" value="ADD/CHANGE PROPERTY"/>
		<input type="button" value="ADD LINK"/>
	CAS RN Lookup	
	<input type="button" value="THE MERCK INDEX"/>	
	<input type="button" value="NCI DATABASE"/>	

Formula	C ₁₆ H ₂₆ O ₂	Molecular Weight	250.3802
CAS RN	9002-93-1	Melting Point (°C)	-4
ACX Number	X1001230-3	Boiling Point (°C)	120
Density	1.084	Vapor Density	21
Refractive Index		Vapor Pressure	0
Evaporation Rate	1	Water Solubility	
Flash Point (°C)	274	EPA Code	
DOT Number		RTECS	MD0907700
Comments	Used for solubilization of proteins. Colorless liquid. Wetting agent; penetrating agent; hydrophilic emulsifier.		

More information about the chemical is available in these categories:

[Health](#) [Medications](#) [Physical Properties](#) [Regulations](#)
[Trading](#) [Usage](#)

Health (3)

[8\(e\) TRIAGE Chemical Studies Database](#)

[ATSDR Internet HazDat Site Contaminant Query](#)

[Information about this particular compound](#)

[UMCP Partial list of mutagens](#)

Medications (1)

[US Customs Pharmaceutical Appendix to the Harmonized Tariff Schedule](#)

Physical Properties (2)

[ABCR GmbH&Co KG](#)

[Triton X-100](#)

[Romil Ltd.](#)

[Information about this particular compound](#)

Regulations (1)

[California EPA List of Lists](#)

Trading (1)

[Available Chemicals Exchange](#)

[Information about this particular compound](#)

Usage (3)

[Nihon Surfactant Kogyo K.K.](#)

[Information about this particular compound](#)

[Information about this particular compound](#)

[Information about this particular compound](#)

Enter a Chemical Name, CAS Number, Molecular Formula or Weight.
Use * for partial names (e.g. ben*).

Search here for free. For professional searching, use [ChemINDEX](#).

[CambridgeSoft.Com](#)[SciStore.Com](#)[ChemFinder.Com](#)[ChemBioNews.Com](#)[ChemClub.Com](#)

©2004 CambridgeSoft Corporation. All Rights Reserved. [Privacy Statement](#)

Email info@chemfinder.com / support@chemfinder.com

Tel 1 800 315-7300 / 1 617 588-9300 Fax 1 617 588-9390

EU Tel 00 800 875 20000 / +44 1223 464900 EU Fax +44 1223 464990

Germany Tel +49 69 2222 2280 France Tel +33 1 70 71 98 80

CambridgeSoft Corporation, 100 CambridgePark Drive, Cambridge, MA 02140 USA

CambridgeSoft Corporation, 8 Signet Court, Swanns Road, Cambridge CB5 8LA UK

All trademarks are the property of their respective holders.

3M United States

[Contact Us](#) [About 3M](#) [Search 3M](#)[Select a Location](#)  >

3M Worldwide : United States : Manufacturing & Industry

 Search This Product CatalogBy Keyword 

▼ **Product Solutions
for the Paints and
Coatings Industry**

▼ **Product Catalog
for the Paints and
Coatings Industry**


- 3M™ Ceramic Microspheres
- 3M™ Easy Clean Coatings
- 3M™ Hollow Ceramic Microspheres
- 3M™ Novec™ Fluorosurfactants

[Product Catalog for the Paints and Coatings Industry](#) >

3M™ Novec™ Fluorosurfactants

 [Print](#)

3M™ Novec™ Fluorosurfactants decrease surface tension at low concentrations, allow better leveling, wetting and spreading. They can be equally effective in aqueous, non-aqueous and high solid formulations.



3M™ Novec™ Fluorosurfactants
The way to smoooooth paints and coatings

Ideal wetting and leveling agents for:
Paints
Starch
Primer
Ink
Coil coating
Adhesives
Clearcoats
Releases
Flooring

See what's Behind the Chemistry
The smooth science of Novec fluorosurfactants
[click here](#)

Novec fluorosurfactants can reduce the surface tension of waterborne formulations more effectively and efficiently than hydrocarbon or silicone surfactants. Plus, Novec fluorosurfactants are easy to incorporate into solutions, helping to improve processing.

Additional Information

Learn More . . .

[Fluorad \(now Novec\) Fluorosurfactant FC-4430 and FC-4432 - Article Reprint \(PDF 222.9 K\)](#)

Please Note:

Adobe® Acrobat® Reader is required to view PDF documents.



Make a Selection

3M™ Novec™ Fluorosurfactant FC-4430

Outstanding surface tension reduction in aqueous and solvent-based systems.

3M™ Novec™ Fluorosurfactant FC-4432

Provides even greater surface tension reduction than 3M™ Novec™ Fluorosurfactant

3M™ Novec™ Fluorosurfactant FC-4434

A water-soluble, general purpose nonionic fluorinated surfactant which contributes wetting, spreading and leveling properties to a variety of coating systems.



製品情報

製品サポート

ユーザー登録

販売店紹介

HOME
トップページ

NEOS CORPORATION

■Products NEWS

・ Documents To Go Premium Edition 7.0 発売開始

・ MacOSX用HotSyncユーティリティ
新バージョンMissingSync4.0発売開始

Documents To Go 6無償アップグレードに関しまして

・ Astraware製品 2 タイトル新発売

・ RedMercury製品 4 タイトル発売開始

■Update Information

新製品The Missing Sync for Palm OS Ver.4の発売を開始し
ました。

MissingSync MacOSX 10.3.5の環境におけるクラッシュ問題
の
対策アップデートのご案内を追加しました。

【重要】MissingSync MacOSX 10.3.5の環境において重大な
不具合が確認されました。

MissingSync動作環境にPalmDesktopソフトウェア2.6.3ダウンロード用
アドレスを追加しました。

- ・ 新モデルTJ37/TH55をMissingSync互換性リストに追加しました。

ネオスコーポレーション株式会社
NEOS CORPORATION.

[Sign in](#)
[Web](#)
[Images](#)
[Groups](#)
[News](#)
[Froogle](#)
[Local](#)
[New!](#)
[more »](#)

neossurfactant

Search

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 10 of about 325 for **neossurfactant**. (0.46 seconds)**NEOS Waterproof Overshoes**

www.buyneos.com Protective overshoe for winter weather. Limited time free shipping

Sponsored Link

Sponsored Links

Neos Overshoes \$45

Discount Prices, Free Shipping.
We stock all **Neos** models.
www.theshoeworks.com

Did you mean: **neossurfactant****Separation and characterization of octylphenol ethoxylate ...**

Central Research Laboratory, **NEOS Co.**, Ltd., Kohka-gun, Shiga, ... To separate octylphenol ethoxylate **surfactant**, non-end-capped branched fluorinated silica ...

www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10481985&dopt=Abstract - [Similar pages](#)

Neos Overshoes - 15% Off

Free Shipping and No Sales Tax
Quick shipping and great service
www.MyShoeStore.com

Nat'l Academies Press, Using Oil Spill Dispersants on the Sea ...

... Manufacturer Acceptance Date 21 Corexit 9550 Exxon Chemical **Co.** ... Laboratory) 24

NEOS AB 3000 NEOS Company Limited 4/22 ... 6/4/86 (organic **surfactant 352**

Abbey-rille ...

books.nap.edu/books/0309038898/html/309.html - 37k - Supplemental Result -
Cached - [Similar pages](#)

[PDF] Structural Change of Emulsions in Forming of Metal Colloids in ...

File Format: PDF/Adobe Acrobat

adding sc-CO₂ into the cell which contained a mixture of a fluorinated **surfactant** FAR-2 ethanol solution (kindly provided by **NEOS Co. Ltd.**) and AgClO ...

pfwww.kek.jp/pfacr/part_b/pf04b124.pdf - [Similar pages](#)

[PDF] SAXS studies of the formation mechanisms of metal clusters in ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

activator, of fluorinated **surfactants** (FTERGENT 110 and FTERGENT 250) kindly provided from **NEOS Co. Ltd.** Similarly, these Pt and Au colloids in emulsions ...

pfwww.kek.jp/acr2001pdf/PartB/PF01UR135.pdf - [Similar pages](#)

[[More results from pfwww.kek.jp](#)]

第44回日本油化学会年会プログラム

2) "The Foam Boosting Mechanism of New Nonionic **co-Surfactant** for Cosmetics and ...

(KANAGAWA Univ.1, **Neos Company Limited**2) IMAI Yoko1, IWANE Naoki1, ...

jocs44.applc.keio.ac.jp/program.eng.html - 111k - Cached - [Similar pages](#)

Darby Dental Laboratory Supply Co., Inc.

... **Surfactant**. Item #, Size/Type, Price, Quantity, add to order. 9538658 32oz, ea, 62800 1

@, \$25.95ea. add to order. © 2005 , Darby Dental Laboratory Supply Co., ...

www.darbylab.com/scripts/prodpage.aspx?CAT=83&SUB=2681&GRP=WEBC3794 - 31k -
Supplemental Result - Cached - [Similar pages](#)

[PDF] August 2005 NCP Product Schedule Technical Notebook

File Format: PDF/Adobe Acrobat - [View as HTML](#)

E-mail: kaigai@neossurfactant.jp. (Mr. T. Ishii, Manager). III. NAME, ADDRESS, AND

TELEPHONE NUMBER OF ... Surface Active Agents: Nonionic and Cationic **surfactants** ...

www.epa.gov/oilspill/pdfs/notebook.pdf - [Similar pages](#)

[PDF] No Job Name

File Format: PDF/Adobe Acrobat - [View as HTML](#)

commercially as a **surfactant** and as a precursor of other. fluorinated **surfactants** and pesticides ... column (**NEOS** Company LTD, Japan) and operated with an ...
www.stanford.edu/group/evpilot/pdf/es9800129%202.pdf - [Similar pages](#)

[PDF] IMO Ref. T5/5.01 MEPC.2/Circ.9/Corr.1 23 January 2004 PROVISIONAL ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

surfactant). US. All countries. 21/05/95 ... **NEOS** FD-1. NICOL Clean 80. Nihon Kosan Co. Ltd. NICOL Clean. YUNISOL SS. Nippon Yuka Kogyo Co. LTD. ...
www.mardep.gov.hk/en/publication/pdf/infocap413_mepc2.pdf - [Similar pages](#)

Research Profile


Senior Research Scientist, **Neos Co. Ltd.** (1989-94) ... Wang, SH and Yang, SH (2000)
 "Surfactant-assisted growth of crystalline copper sulphide nanowire ...
ocga.ust.hk/report1998-2000/staff/chemiststaff.htm - 57k - [Cached](#) - [Similar pages](#)

Did you mean to search for: **[neos cosurfactant](#)**

Try your search again on [Google Book Search](#)

Goooooooooooooogle ►

Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)



Free! Instantly find your email, files, media and web history. [Download now.](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google

[Sign in](#)
[Web](#)
[Images](#)
[Groups](#)
[News](#)
[Froogle](#)
[Local](#)
[New!](#)
[more »](#)

neous surfactant

Search

[Advanced Search](#)
[Preferences](#)
WebResults 1 - 10 of about 370 for **neous surfactant**. (0.67 seconds)**NEOS Outdoor Shoes**

www.buyneos.com Shoe protection from winter weather 100% waterproof and free shipping!

Sponsored Link

Sponsored Links

Separation and characterization of octylphenol ethoxylate ...

Central Research Laboratory, **NEOS Co., Ltd.**, Kohka-gun, Shiga, ... To separate octylphenol ethoxylate **surfactant**, non-end-capped branched fluorinated silica ...

www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10481985&dopt=Abstract - [Similar pages](#)

[PDF] Structural Change of Emulsions in Forming of Metal Colloids in ...

File Format: PDF/Adobe Acrobat

adding sc-CO₂ into the cell which contained a mixture of a fluorinated **surfactant** FAR-2 ethanol solution (kindly provided by **NEOS Co. Ltd.**) and AgClO ...

pfwww.kek.jp/pfacr/part_b/pf04b124.pdf - [Similar pages](#)

Neos Overshoes \$45

Discount Prices, Free Shipping.

We stock all **Neos** models.

www.theshoeworks.com

Neos Gear

Unbelievable Prices on

Everything Outdoors!

www.campmor.com

Neos Overshoes - 15% Off

Free Shipping and No Sales Tax

Quick shipping and great service

www.MyShoeStore.com

Cheap Neos Prices

We Have 4,200+ Tape Drive Products

Read **Neos** Reviews!

www.NexTag.com/TapeDrives

[PDF] SAXS studies of the formation mechanisms of metal clusters in ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

activator, of fluorinated **surfactants** (FTERGENT 110 and FTERGENT 250) kindly provided from **NEOS Co. Ltd.** Similarly, these Pt and Au colloids in emulsions ...

pfwww.kek.jp/acr2001pdf/PartB/PF01UR135.pdf - [Similar pages](#)

[[More results from pfwww.kek.jp](#)]

NEOS English web site

NEOS Detergent Environmental Guidelines / Topics ... We do not use persistent substances like polyoxyethylenes (**surfactant**). The waste water burden was ...

www.neos.co.jp/eng/htm/wsd/eg-topics.html - 6k - [Cached](#) - [Similar pages](#)

Nat'l Academies Press, Using Oil Spill Dispersants on the Sea ...

... Gretna, LA 70053 (504) 362-3232 (Laboratory) 24 **NEOS** AB 3000 **NEOS** Company Limited 4 ... 6/4/86 (organic **surfactant** 352 Abbey-rille Road based) Lancaster, PA 17603 ...

books.nap.edu/books/0309038898/html/309.html - 37k - Supplemental Result -

[Cached](#) - [Similar pages](#)

[PDF] IATA AFWG IATA AFWG

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... Jet Airways Jet Airways **NEOS** **NEOS** Maersk Maersk Air Air ... Acrylic (BMS 3 Acrylic (BMS 3--32) 32) Soap/**surfactant** Soap/**surfactant** types types Clean Clean ...

www.qinetiq.co.uk/.../fstenergy/fuels_lubes/ aviaiton_fuels_committee.Par.0008.File.pdf - Supplemental Result - [Similar pages](#)

allnurses.com Nursing for Nurses - Vent to CPAP...scenario and ...

I vividly remember our trials of **surfactant**: How the **Neos** were saying they didn't think it

[Sign in](#)Web Images Groups News Froogle Local^{New!} more »

UNIDYNE DAIKIN

Search

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 10 of about 308 for UNIDYNE DAIKIN . (0.33 seconds)

[PDF] UNIDYNE NS-1602File Format: PDF/Adobe Acrobat - [View as HTML](#)**Daikin America, Inc. - 4 - Daikin. Daikin. Daikin. Daikin "Unidyne. Unidyne. Unidyne. Unidyne" Fluorosurfactant NS. Fluorosurfactant NS ...**www.tri-iso.com/downloads/unidyne_ns1602.pdf - [Similar pages](#)

Sponsored Links

[Daiken Air Conditioners](#)Save on Top Brands at AJ Madison.
Large Selection & Fast Delivery.
www.AJMadison.com**[PDF] UNIDYNE NS-1102**File Format: PDF/Adobe Acrobat - [View as HTML](#)**... Daikin Daikin Daikin Daikin "Unidyne Unidyne Unidyne Unidyne" Fluorosurfactant NS Fluorosurfactant NS Fluorosurfactant NS Fluorosurfactant NS-1102 Safety ...**www.tri-iso.com/downloads/unidyne_ns1102.pdf - Supplemental Result - [Similar pages](#)[[More results from www.tri-iso.com](#)]**[Daikin America, Inc.](#)****Unidyne™** for Textiles, Applications. TG-470, Textile water based repellent. ... TG-992, Stain release. Copyright © 2005 **Daikin** America, Inc.www.daikin.cc/products/view_line.asp?productlineid=11 - 11k - Supplemental Result - [Cached](#) - [Similar pages](#)**[Daikin America, Inc.](#)****Unidyne™** for Carpets, Applications. TG-3010, Carpet protection. TG-3020, Carpet protection. ... TG-3720, Carpet protection. Copyright © 2005 **Daikin** America, Inc.www.daikin.cc/products/view_line.asp?productlineid=12 - 11k - Supplemental Result - [Cached](#) - [Similar pages](#)[[More results from www.daikin.cc](#)]**[Daikin America](#)**Investments followed to manufacture **Unidyne** in 2000 and expand the capacity of the original plant. At **Daikin** America, we understand that reliable ...www.chembuyersguide.com/partners/daikin.html - 14k - [Cached](#) - [Similar pages](#)**[daikin at ChemIndustry.com](#)**... 3. D) MSDSs From ... Medical products **Daikin Unidyne** ... URL: <http://www.msdssearch.com/./ManuflinksD.htm> Pagesize: 45K bytes - Language: English [Translate]. ...www.neis.com/chemnames/D/daikin.asp - 42k - Supplemental Result -[Cached](#) - [Similar pages](#)**[UNIDYNE-Home Page](#)**Handling and Storage precautions · **UNIDYNE**:Fluorocarbon Fabric Protector · Silicone and **UNIDYNE** ... All contents Copyright(c) 2001 **DAIKIN INDUSTRIES,LTD.**www.daikin.co.jp/chm/en/pro/sinsozai/unidyne/indexE.html - 3k - Dec 22, 2005 -[Cached](#) - [Similar pages](#)**[The Comparison of Treatment by Silicone and Treatment by UNIDYNE](#)**The Comparison of Treatment between Silicone and **UNIDYNE** ... Top | Inquiry | All contents copyright (c) 2001 **DAIKIN INDUSTRIES,LTD.**www.daikin.co.jp/chm/en/pro/sinsozai/unidyne/Presen/02E.html - 2k - Dec 23, 2005 -[Cached](#) - [Similar pages](#)[[More results from www.daikin.co.jp](#)]

MSDS TG-3020

... SECTION 1 PRODUCT IDENTIFICATION. **DAIKIN** TRADE NAME, **UNIDYNE** TG-3020.
FEATURE AND APPLICATION, Dry soil resistant agent for carpets. TECHNICAL
BULLETIN No. ...

www.daikinchem.com.cn/pro/ sinsozai/unidyne_org/MSDS/TG-3020e.html - 12k -
Supplemental Result - [Cached](#) - [Similar pages](#)

MSDS TG-590


... SECTION 1 PRODUCT IDENTIFICATION. **DAIKIN** TRADE NAME, **UNIDYNE** TG-590.
FEATURE AND APPLICATION, Water and Oil Repellent for textiles. TECHNICAL
BULLETIN No. ...

www.daikinchem.com.cn/pro/ sinsozai/unidyne_org/MSDS/TG-590e.html - 13k -
Supplemental Result - [Cached](#) - [Similar pages](#)
[[More results from www.daikinchem.com.cn](#)]

Try your search again on [Google Book Search](#)

Goooooooooooooogle ►

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**



Free! Instantly find your email, files, media and web history. [Download now.](#)

UNIDYNE DAIKIN

Search


[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google

[Back/Next](#)


Simply click on the icon for the full-sized image!



| [Top](#) | [Inquiry](#) |

All contents copyright (c) 2001 DAIKIN INDUSTRIES,LTD.

WHY?



web sites

chemical info

market research

jobs

newsletters

Search the chemical world

daikin



All Categories



Directory categories



Malve

SPEC®

data sheets

standards

part numbers

The Engineering Search Engine

Find:



Viewing sites 1 thru 10 of 1719

Word Count: daikin (1835)

Next >

Featur

Get listed in this page

and reach more chemical industry professionals.

Daikin Industries

Manufacturer

Japan

Daikin has developed various fluorocarbon gases, fluoro-polymers, elastomers, repellants, and other materials containing fluorine using innovative technology.

URL: <http://www.daikin.co.jp/chm/en> in English [Translate]

1. ... [ダ | ン | 工 | 業 | 機 | 械 | 有 | 限 | 公 | 司 |](#) | **DAIKIN COMTEC** [fg□\[f^f ...](#)

... [ダ | ン | 工 | 業 | 機 | 械 | 有 | 限 | 公 | 司 |](#) | **DAIKIN COMTEC** [fg□\[f^f ...](#)

URL: http://www.daikin.co.jp/jump/group/j_comtec.html

2. ダイキンエ

... トマップ Copyright (C) 2005 **DAIKIN INDUSTRIES, Ltd.** All Rights Reserved ...

URL: <http://www.daikin.co.jp/index.html>

Adhesives & Sealants Magazine

Business Info.

United States

Serving the global adhesives formulator, manufacturer, and applicator.

URL: <http://www.adhesivesmag.com> in English [Translate]

3. ... News Item : Daikin

... to ensure safety as **Daikin** worked to restore ... Tile WallsCeilings WorldTrade Breaking News

Daikin Fluoropolymer Plant Resumes Operations **Daikin** ...

URL: http://www.adhesivesmag.com/CDA/ArticleInformation/news/news_item/0,2108,14...

4. News

... Receives Prestigious Intel SCQI Award **Daikin** Fluoropolymer Plant Resumes Operations Fusion ...

URL: http://www.adhesivesmag.com/CDA/ArticleInformation/news/News_Index/1,2107,...

ACHEMA

Event

Germany

19. - 24. Mai 2003. With almost 4,000 exhibitors from all over the world and a quarter of a million visitors from more than 100 countries, ACHEMA will be setting the standard again in the year 2003 and pointing the way for the future in the process

URL: <http://www.achema.de> in English [Translate]

5. ACHEMA

... ROK **DAIKI** Sciences, Seoul ROK **Daikin**, Düsseldorf D **Daikin**, Osaka J Dairei, Esbjerg DK ...

URL: <http://www.achema.de/Ausstellerliste.html>

6. ACHEMA

... ROK **DAIKI** Sciences, Seoul ROK **Daikin**, Düsseldorf D **Daikin**, Osaka J Dairei, Esbjerg DK ...



Xiameter
valve



Malve



URL: http://www.achema.de/List_of_Exhibitors-lang-en.html

Popular s

CPhI

Event

Netherlands

8-10 october 2001. CPhI Worldwide, the international exhibition on pharmaceutical ingredients and intermediates, has proven its world leading position with a total of 951 exhibiting companies and 15,454 visits in total.

URL: <http://www.cphi.com> in English [\[Translate\]](#)

Search ex

ChemWeb

Chemistry

The Alcher

Useful Sou

Useful Sou

Free news!

Free maga

Latest Scie

7. CPhI Worldwide -

... Industries Inc. DABUR PHARMA LIMITED **DAIKIN** Industries Ltd Daiso Co.,Ltd ...

URL: <http://www.cphi.com/content/Exhibitorlist.aspx?menuid=ac283aa2-1d27-46a0-8e...>

Omnexus.com

Business Info.

United States

Omnexus is the neutral independent eMarketplace for the injection molding industry. It is designed and built by plastics industry professionals

URL: <http://www.omnexus.com> in English [\[Translate\]](#)

8. ... News - Daikin and Dow Corning ...

... help the Dow Corning-**DAIKIN** collaboration succeed. **DAIKIN INDUSTRIES, LTD.**, is a ... Dow Corning and ...

URL: http://www.omnexus.com/news/news.aspx?id=7679&or=ps0_0_102_7679

Japan Tobacco

Manufacturer

Japan

Moving to a Tri-Pillar business of tobacco, pharmaceuticals and foods.

URL: <http://www.jti.co.jp> in English [\[Translate\]](#)

9. 03

... the company and **Daikin Industries, Ltd. (Daikin)** (TSE: 6367), a global ... this in mind, ...

URL: http://www.jti.co.jp/JTI_E/Release/04/20050315_E.html

Tri-iso

Distributor

United States


Tri-iso is a distributor and sales agent of specialty chemical raw materials.

URL: <http://www.tri-iso.com> in English [\[Translate\]](#)

10. ... Tri-Iso, Inc. - Daikin

... Tri-Iso, Inc. - **Daikin** Search the site ...

URL: <http://www.tri-iso.com/products/richyu.html>

10 

Next

Next

Recommend ChemIndustry.com to your friends.

[Home](#) | [Advertising](#) | [Job Opportunities](#) | [Newsletter](#) | [Manage Account](#)
[Privacy Policy](#) | [Terms](#) | [Contact Us](#)
[Chinese](#) | [English](#)

(c) 1999-2005 ChemIndustry.com, Inc. • All Rights Reserved

[First Hit](#)[Previous Doc](#)[Next Doc](#)[Go to Doc#](#)[Generate Collection](#)[Print](#)

L15: Entry 9 of 69

File: PGPB

May 26, 2005 .

DOCUMENT-IDENTIFIER: US 20050112810 A1

TITLE: Method for manufacturing conductive pattern forming body

Detail Description Paragraph:

[0172] Examples of such a decomposable material may include surfactants which are decomposed by an action of the photocatalyst and has a function to change the wettability of the surface of the photocatalyst containing layer by being decomposed. Specifically, nonionic surfactants of hydrocarbon types such as each series of NIKKOL BL, BC, BO and BB manufactured by Nikko Chemicals Co., Ltd., fluorine types such as ZONYL FSN and FSO manufactured by Du Pont Kabushiki Kaisha, SURFLON S-141 and 145 manufactured by Asahi Glass Company, MEGAFACE F-141 and 144 manufactured by Dainippon Ink and Chemicals, Incorporated, FTARGET F-200 and F251 manufactured by NEOS Co., Ltd., UNIDYNE DS-401 and 402 manufactured by DAIKIN INDUSTRIES, LTD., and FLUORAD FC-170 and 176 manufactured by 3M, and silicone type surfactants can be listed. Cationic surfactants, anionic surfactants and amphoteric surfactants may also be used.

[Previous Doc](#)[Next Doc](#)[Go to Doc#](#)

德华化工产品有限公司
HONOUR CHEM PRODUCTS LIMITED

tegotechnology

Tego Coating & Ink Add

香港: 00852-25153306

首页 | 公司简介 | 产品数据 | 最新报道 | 联系方式 | 问题解答

Chinese China chemical industry --> product data --> chemical additive



添加剂

The superficial control helps the medicinal preparation (TEGO Glide&Flow)

Defoamer (TEGO Foamex)

脱泡 medicinal preparation (TEGO Airex)

Response surface control agent (TEGO Rad)

Base material wetting agent (TEGO Wet)

Dispersing agent (TEGO Dispers)

		Base material wetting agent (TEGO Wet)				The base material wetting agent can help the coating or the printing ink moist each kind of different surface, even moi extremely low surface tension base material. Therefore can prevent like the shrink hole or will shrink side and so on surface defect, varnish film class even and attaches the st is also improved.	
产品	体系	木器涂料	塑料涂料	金属涂料	印刷油墨与清洗剂	特点	
Wet 250	W		●	●		The good class is even	
Wet 260	W		●	●	●	General	
Wet 265	W	●				Lowly steadily soaks	
Wet 270	W / S / UV	●	●	●	●	Strongly guards against the shrink hole	
Wet 280	W		●	●		Reduces the varnish film thickness	
Wet 500 ²	W / UV	●		●	●	Damps soaks, is high dynamically	
Wet 505 ¹²	W	●		●	●	消泡, the pigment is moist	
Wet 510 ¹²	W	●	●	●	●	Lowly steadily soaks, is high dynamically	
Wet 590 ²	W				●	Flows evenly, is moist	
Wet KL245	W / S / UV	●	●	●	●	Strongly guards against the shrink hole	
Twin 4000 ¹	W / S / UV	●	●	●	●	Strong wettability and 消泡 sex	

¹ New product ² Does not have silicon W = river character system S = solvent system UV = the UV solidified

system


油漆美化世界, tego 美化油漆


Copyright (C) 2002-2003 all rights reserved
Hong Kong Chinese China chemical industry product limited company (Honour Chem)




This page has been [automatically translated](#) from Chinese (Simplified). BETA

[View Original Web Page](#)

 [Printable Version](#)

 [Back to Results](#)



Health	2
Fire	2
Reactivity	0
Personal Protection	H

Material Safety Data Sheet TRITON X-114 MSDS

Section 1: Chemical Product and Company Identification

Product Name: TRITON X-114

Catalog Codes: SLT3745

CAS#: 9036-19-5

RTECS: MD0907600

TSCA: TSCA 8(b) inventory: TRITON X-114

CI#: Not applicable.

Synonym: Octylphenoxypoly(ethoxyethanol)

Chemical Name:

Poly(oxy-1,2-ethanediyl),a[(1,1,3,3-tetramethylbutyl)phenyl]-w-h

Chemical Formula: C₈H₁₆C₆H₄(-CH₂CH₂O)₁₀H

Contact Information:

Sciencelab.com, Inc.

14025 Smith Rd.

Houston, Texas 77396

US Sales: **1-800-901-7247**

International Sales: **1-281-441-4400**

Order Online: ScienceLab.com

CHEMTREC (24HR Emergency Telephone), call:

1-800-424-9300

International CHEMTREC, call: 1-703-527-3887

For non-emergency assistance, call: 1-281-441-4400

Section 2: Composition and Information on Ingredients

Composition:

Name	CAS #	% by Weight
Ethylene oxide	75-21-8	0-0.1

Toxicological Data on Ingredients:

Section 3: Hazards Identification

Potential Acute Health Effects:

Very hazardous in case of skin contact (irritant), of eye contact (irritant), of ingestion. Hazardous in case of skin contact (permeator), of inhalation. Slightly hazardous in case of skin contact (sensitizer). Inflammation of the eye is characterized by redness, watering, and itching. Skin inflammation is characterized by itching, scaling, reddening, or, occasionally, blistering.

Potential Chronic Health Effects:

Very hazardous in case of skin contact (irritant), of ingestion.

Hazardous in case of skin contact (permeator), of eye contact (irritant), of inhalation.

Slightly hazardous in case of skin contact (sensitizer).

CARCINOGENIC EFFECTS: Classified A2 (Suspected for human.) by ACGIH [TRITON X-114].

MUTAGENIC EFFECTS: Not available.

TERATOGENIC EFFECTS: Not available.

DEVELOPMENTAL TOXICITY: Not available.

The substance is toxic to blood, kidneys, liver.
Repeated or prolonged exposure to the substance can produce target organs damage.

Section 4: First Aid Measures

Eye Contact:

Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Cold water may be used. Do not use an eye ointment. Seek medical attention.

Skin Contact:

After contact with skin, wash immediately with plenty of water. Gently and thoroughly wash the contaminated skin with running water and non-abrasive soap. Be particularly careful to clean folds, crevices, creases and groin. Cold water may be used. Cover the irritated skin with an emollient. If irritation persists, seek medical attention. Wash contaminated clothing before reusing.

Serious Skin Contact:

Wash with a disinfectant soap and cover the contaminated skin with an anti-bacterial cream. Seek immediate medical attention.

Inhalation: Allow the victim to rest in a well ventilated area. Seek immediate medical attention.

Serious Inhalation: Not available.

Ingestion:

Do not induce vomiting. Examine the lips and mouth to ascertain whether the tissues are damaged, a possible indication that the toxic material was ingested; the absence of such signs, however, is not conclusive. Loosen tight clothing such as a collar, tie, belt or waistband. If the victim is not breathing, perform mouth-to-mouth resuscitation. Seek immediate medical attention.

Serious Ingestion: Not available.

Section 5: Fire and Explosion Data

Flammability of the Product: Combustible.

Auto-Ignition Temperature: Not available.

Flash Points: CLOSED CUP: 93.3°C (199.9°F).

Flammable Limits: Not available.

Products of Combustion: Not available.

Fire Hazards in Presence of Various Substances:

Flammable in presence of open flames and sparks, of oxidizing materials.

Slightly flammable to flammable in presence of heat, of reducing materials, of combustible materials.

Non-flammable in presence of moisture.

Explosion Hazards in Presence of Various Substances:

Risks of explosion of the product in presence of mechanical impact: Not available.

Risks of explosion of the product in presence of static discharge: Not available.

Fire Fighting Media and Instructions:

SMALL FIRE: Use DRY chemical powder.

LARGE FIRE: Use water spray, fog or foam. Do not use water jet.

Special Remarks on Fire Hazards: Keep container tightly closed. Material supports combustion.

Special Remarks on Explosion Hazards: Not available.

Section 6: Accidental Release Measures

Small Spill:

Dilute with water and mop up, or absorb with an inert dry material and place in an appropriate waste disposal container. Finish cleaning by spreading water on the contaminated surface and dispose of according to local and regional authority requirements.

Large Spill:

Combustible material.

Keep away from heat. Keep away from sources of ignition. Stop leak if without risk. Finish cleaning by spreading water on the contaminated surface and allow to evacuate through the sanitary system.

Section 7: Handling and Storage

Precautions:

Keep away from heat. Keep away from sources of ignition. Ground all equipment containing material. Do not ingest. Do not breathe gas/fumes/ vapour/spray. In case of insufficient ventilation, wear suitable respiratory equipment. If ingested, seek medical advice immediately and show the container or the label. Avoid contact with skin and eyes. Keep away from incompatibles such as oxidizing agents, acids, alkalis.

Storage:

Flammable materials should be stored in a separate safety storage cabinet or room. Keep away from heat. Keep away from sources of ignition. Keep container tightly closed. Keep in a cool, well-ventilated place. Ground all equipment containing material. Keep container dry. Keep in a cool place.

Section 8: Exposure Controls/Personal Protection

Engineering Controls:

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value. Ensure that eyewash stations and safety showers are proximal to the work-station location.

Personal Protection:

Splash goggles. Lab coat. Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Gloves.

Personal Protection in Case of a Large Spill:

Splash goggles. Full suit. Vapor respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

Exposure Limits: Not available.

Section 9: Physical and Chemical Properties

Physical state and appearance: Liquid. (Clear viscous liquid.)

Odor: Characteristic. (Slight.)

Taste: Not available.

Molecular Weight: Not applicable.

Color: Colorless.

pH (1% soln/water): 7 [Neutral.]

Boiling Point: Not available.

Melting Point: Not available.

Critical Temperature: Not available.

Specific Gravity: 1.07 (Water = 1)

Vapor Pressure: Not available.

Vapor Density: Not available.

Volatility: Not available.

Odor Threshold: Not available.

Water/Oil Dist. Coeff.: The product is equally soluble in oil and water.

Ionicity (in Water): Non-ionic.

Dispersion Properties: See solubility in water, methanol, diethyl ether, n-octanol.

Solubility:

Easily soluble in hot water, diethyl ether.

Soluble in methanol.

Partially soluble in cold water, n-octanol.

Section 10: Stability and Reactivity Data

Stability: The product is stable.

Instability Temperature: Not available.

Conditions of Instability: Not available.

Incompatibility with various substances:

Reactive with oxidizing agents, acids, alkalis.

Slightly reactive to reactive with reducing agents, organic materials, metals.

Non-reactive with moisture.

Corrosivity:

Slightly corrosive to corrosive in presence of steel.

Non-corrosive in presence of glass, of aluminum, of zinc, of copper, of stainless steel(304), of stainless steel(316).

Special Remarks on Reactivity: Not available.

Special Remarks on Corrosivity: Not available.

Polymerization: No.

Section 11: Toxicological Information

Routes of Entry: Dermal contact. Eye contact. Inhalation. Ingestion.

Toxicity to Animals: Acute oral toxicity (LD50): 1800 mg/kg [Rat.].

Chronic Effects on Humans:

CARCINOGENIC EFFECTS: Classified A2 (Suspected for human.) by ACGIH [TRITON X-114].

The substance is toxic to blood, kidneys, liver.

Other Toxic Effects on Humans:

Very hazardous in case of skin contact (irritant), of ingestion.
Hazardous in case of skin contact (permeator), of inhalation.
Slightly hazardous in case of skin contact (sensitizer).

Special Remarks on Toxicity to Animals: Not available.

Special Remarks on Chronic Effects on Humans: May contain traces of ethylene oxide . Ethylene oxide has been reported to be a potential carcinogen.

Special Remarks on other Toxic Effects on Humans: May cause allergic reactions, exzema and/or dehydration of the skin.

Section 12: Ecological Information

Ecotoxicity: Not available.

BOD5 and COD: Not available.

Products of Biodegradation:

Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

Toxicity of the Products of Biodegradation: The products of degradation are more toxic.

Special Remarks on the Products of Biodegradation: Not available.

Section 13: Disposal Considerations

Waste Disposal:

Section 14: Transport Information

DOT Classification: Not a DOT controlled material (United States).

Identification: Not applicable.

Special Provisions for Transport: Not applicable.

Section 15: Other Regulatory Information

Federal and State Regulations:

California prop. 65: This product contains the following ingredients for which the State of California has found to cause cancer, birth defects or other reproductive harm, which would require a warning under the statute: Ethylene oxide

California prop. 65: This product contains the following ingredients for which the State of California has found to cause reproductive harm (male) which would require a warning under the statute: Ethylene oxide

California prop. 65: This product contains the following ingredients for which the State of California has found to cause birth defects which would require a warning under the statute: Ethylene oxide

California prop. 65: This product contains the following ingredients for which the State of California has found to cause cancer which would require a warning under the statute: Ethylene oxide

Pennsylvania RTK: Ethylene oxide

Florida: Ethylene oxide

Minnesota: Ethylene oxide

Massachusetts RTK: Ethylene oxide

New Jersey: Ethylene oxide

TSCA 8(b) inventory: TRITON X-114

SARA 302/304/311/312 extremely hazardous substances: Ethylene oxide

SARA 313 toxic chemical notification and release reporting: Ethylene oxide

Other Regulations: OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).

Other Classifications:

WHMIS (Canada): CLASS D-2A: Material causing other toxic effects (VERY TOXIC).

DSCL (EEC):

This product is not classified according to the EU regulations.

HMIS (U.S.A.):

Health Hazard: 2

Fire Hazard: 2

Reactivity: 0

Personal Protection: h

National Fire Protection Association (U.S.A.):

Health: 2

Flammability: 2

Reactivity: 0

Specific hazard:

Protective Equipment:

Gloves.

Lab coat.

Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate.

Splash goggles.

Section 16: Other Information


References: -Manufacturer's Material Safety Data Sheet.

Other Special Considerations: Not available.


Created: 10/10/2005 08:31 PM

Last Updated: 10/10/2005 08:31 PM

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall ScienceLab.com be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if ScienceLab.com has been advised of the possibility of such damages.



Science Lab.com
Chemicals & Laboratory Equipment



Health	2
Fire	1
Reactivity	0
Personal Protection	J

Material Safety Data Sheet TRITON X-100 MSDS

Section 1: Chemical Product and Company Identification

Product Name: TRITON X-100

Catalog Codes: SLT2452

CAS#: 9002-93-1

RTECS: MD0907700

TSCA: TSCA 8(b) inventory: TRITON X-100

CI#: Not available.

Synonym: Polyethylene glycol octylphenyl ether;
Octylphenoxypolyethoxyethanol; Polyethylene glycol mono
[4-(1,1,3,3-tetramethylbutyl) phenyl] ether

Chemical Name: Triton X-100

Chemical Formula: (C₂H₄-O)_nC₁₄-H₂₂-O

Contact Information:

Sciencelab.com, Inc.

14025 Smith Rd.

Houston, Texas 77396

US Sales: **1-800-901-7247**

International Sales: **1-281-441-4400**

Order Online: ScienceLab.com

CHEMTREC (24HR Emergency Telephone), call:
1-800-424-9300

International CHEMTREC, call: 1-703-527-3887

For non-emergency assistance, call: 1-281-441-4400

Section 2: Composition and Information on Ingredients

Composition:

Name	CAS #	% by Weight
TRITON X-100	9002-93-1	100
May contain trace amounts of Ethylene Oxide		

Toxicological Data on Ingredients: TRITON X-100: ORAL (LD₅₀): Acute: 1800 mg/kg [Rat].

Section 3: Hazards Identification

Potential Acute Health Effects:

Hazardous in case of eye contact (irritant), of ingestion, of inhalation. Slightly hazardous in case of skin contact (irritant).

Potential Chronic Health Effects:

CARCINOGENIC EFFECTS: Classified 4 (No evidence.) by NTP, None. by OSHA, None. by NIOSH.

MUTAGENIC EFFECTS: Mutagenic for mammalian somatic cells.

TERATOGENIC EFFECTS: Not available.

DEVELOPMENTAL TOXICITY: Classified Reproductive system/toxin/female [POSSIBLE].

Repeated or prolonged exposure is not known to aggravate medical condition.

Section 4: First Aid Measures

Eye Contact:

Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold water may be used. Get medical attention immediately.

Skin Contact:

Wash with soap and water. Cover the irritated skin with an emollient. Get medical attention if irritation develops. Cold water may be used.

Serious Skin Contact: Not available.

Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

Serious Inhalation: Not available.

Ingestion:

Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If large quantities of this material are swallowed, call a physician immediately. Loosen tight clothing such as a collar, tie, belt or waistband.

Serious Ingestion: Not available.

Section 5: Fire and Explosion Data

Flammability of the Product: May be combustible at high temperature.

Auto-Ignition Temperature: Not available.

Flash Points: CLOSED CUP: 274°C (525.2°F).

Flammable Limits: Not available.

Products of Combustion: These products are carbon oxides (CO, CO₂) and water.

Fire Hazards in Presence of Various Substances:

Slightly flammable to flammable in presence of heat.

Non-flammable in presence of shocks.

Explosion Hazards in Presence of Various Substances:

Risks of explosion of the product in presence of mechanical impact: Not available.

Risks of explosion of the product in presence of static discharge: Not available.

Fire Fighting Media and Instructions:

SMALL FIRE: Use DRY chemical powder.

LARGE FIRE: Use water spray, fog or foam. Do not use water jet.

Special Remarks on Fire Hazards: Not available.

Special Remarks on Explosion Hazards: Not available.

Section 6: Accidental Release Measures

Small Spill:

Dilute with water and mop up, or absorb with an inert dry material and place in an appropriate waste disposal container. Finish cleaning by spreading water on the contaminated surface and dispose of according to local and regional authority requirements.

Large Spill:

Absorb with an inert material and put the spilled material in an appropriate waste disposal. Finish cleaning by spreading water on the contaminated surface and allow to evacuate through the sanitary system.

Section 7: Handling and Storage**Precautions:**

Keep away from heat. Keep away from sources of ignition. Empty containers pose a fire risk, evaporate the residue under a fume hood. Ground all equipment containing material. Do not ingest. Do not breathe gas/fumes/vapor/spray. Avoid contact with eyes. Wear suitable protective clothing. In case of insufficient ventilation, wear suitable respiratory equipment. If ingested, seek medical advice immediately and show the container or the label. Keep away from incompatibles such as oxidizing agents, reducing agents.

Storage: Keep container tightly closed. Keep container in a cool, well-ventilated area. It may be light and air sensitive

Section 8: Exposure Controls/Personal Protection**Engineering Controls:**

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value. Ensure that eyewash stations and safety showers are proximal to the work-station location.

Personal Protection: Splash goggles. Lab coat. Vapor respirator. Be sure to use an approved/certified respirator or equivalent.

Personal Protection in Case of a Large Spill:

Splash goggles. Full suit. Vapor respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

Exposure Limits: Not available.

Section 9: Physical and Chemical Properties

Physical state and appearance: Liquid.

Odor: Odorless.

Taste: Not available.

Molecular Weight: 646.85 g/mole

Color: Clear Colorless to light yellow.

pH (1% soln/water): Not available.

Boiling Point: 270°C (518°F)

Melting Point: 6°C (42.8°F)

Critical Temperature: Not available.

Specific Gravity: 1.06 (Water = 1)

Vapor Pressure: <0.1 kPa (@ 20°C)

Vapor Density: Not available.

Volatility: <0.5% (v/v).

Odor Threshold: Not available.

Water/Oil Dist. Coeff.: Not available.

Ionicity (in Water): Non-ionic.

Dispersion Properties: See solubility in water.

Solubility:

Soluble in cold water, hot water.

Insoluble in mineral spirits and kerosene

Section 10: Stability and Reactivity Data

Stability: The product is stable.

Instability Temperature: Not available.

Conditions of Instability: Excess heat, light, air, moisture, incompatible materials.

Incompatibility with various substances: Reactive with oxidizing agents, reducing agents.

Corrosivity: Not considered to be corrosive for metals and glass.

Special Remarks on Reactivity: Not available.

Special Remarks on Corrosivity: Not available.

Polymerization: Will not occur.

Section 11: Toxicological Information

Routes of Entry: Absorbed through skin. Dermal contact. Eye contact.

Toxicity to Animals: Acute oral toxicity (LD50): 1800 mg/kg [Rat].

Chronic Effects on Humans:

CARCINOGENIC EFFECTS: Classified 4 (No evidence.) by NTP, None. by OSHA, None. by NIOSH.

MUTAGENIC EFFECTS: Mutagenic for mammalian somatic cells.

DEVELOPMENTAL TOXICITY: Classified Reproductive system/toxin/female [POSSIBLE].

Other Toxic Effects on Humans:

Hazardous in case of ingestion, of inhalation.

Slightly hazardous in case of skin contact (irritant).

Special Remarks on Toxicity to Animals: Not available.

Special Remarks on Chronic Effects on Humans:

May cause adverse reproductive effects (maternal effects) based on animal data (high oral doses of 65,500 mg/kg given to female rat prior to mating).

May affect genetic material (mutagen).

The product may contain trace amounts of Ethylene Oxide which can cause cancer and birth defects or other adverse reproductive effects.

Special Remarks on other Toxic Effects on Humans:

Acute Potential Health Effects:

Skin: May cause skin irritation.

Eyes: Causes severe eye irritation.
Ingestion: May cause gastrointestinal tract irritation with nausea, vomiting and diarrhea. May be harmful if swallowed.
Inhalation: May cause respiratory tract irritation.
The toxicological effects of this substance have not been fully investigated.

Section 12: Ecological Information

Ecotoxicity: Not available.

BOD5 and COD: Not available.

Products of Biodegradation:

Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

Toxicity of the Products of Biodegradation: The products of degradation are less toxic than the product itself.

Special Remarks on the Products of Biodegradation: Not available.

Section 13: Disposal Considerations

Waste Disposal:

Waste must be disposed of in accordance with federal, state and local environmental control regulations.

Section 14: Transport Information

DOT Classification: Not a DOT controlled material (United States).

Identification: Not applicable.

Special Provisions for Transport: Not applicable.

Section 15: Other Regulatory Information

Federal and State Regulations:

California prop. 65: This product contains the following ingredients for which the State of California has found to cause reproductive harm (female) which would require a warning under the statute: Ethylene Oxide

California prop. 65: This product contains the following ingredients for which the State of California has found to cause birth defects which would require a warning under the statute: No products were found.

California prop. 65: This product contains the following ingredients for which the State of California has found to cause cancer which would require a warning under the statute: Ethylene Oxide

TSCA 8(b) inventory: TRITON X-100

TSCA 8(a) IUR: TRITON X-100

TSCA 8(d) H and S data reporting: TRITON X-100: Effective: 3/29/96; Sunset: 3/39/06

Other Regulations: Not available.

Other Classifications:

WHMIS (Canada): CLASS D-2B: Material causing other toxic effects (TOXIC).

DSCL (EEC):

R22- Harmful if swallowed.

R41- Risk of serious damage to eyes.

S26- In case of contact with eyes, rinse

immediately with plenty of water and seek medical advice.

S39- Wear eye/face protection.

HMIS (U.S.A.):

Health Hazard: 2

Fire Hazard: 1

Reactivity: 0

Personal Protection: j

National Fire Protection Association (U.S.A.):

Health: 2

Flammability: 1

Reactivity: 0

Specific hazard:

Protective Equipment:

Not applicable.

Lab coat.

Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate.

Splash goggles.

Section 16: Other Information

References: Not available.

Other Special Considerations: Not available.

Created: 10/11/2005 12:50 PM

Last Updated: 10/11/2005 12:50 PM

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall ScienceLab.com be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if ScienceLab.com has been advised of the possibility of such damages.